Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: GLOBOSTAR® GROUP

Supplier's address: GLOBOSTAR LED LIGHTING AND ACCESSORIES GROUP, 1st Km Old National

Road Katerinis-Thessalonikis 1, 60100 KATERINI KATERINI PIERIAS, EL

Model identifier:	SKU: 70507
-------------------	------------

111	nn	Λt	IIαn	 · ^ · ·	rca
ıv	IJC.	.,,	וצוו	 	
- 7	~	•	o.	 	rce:


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	WIRES		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	Yes	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

Product parameters

Product parameters						
Parameter		Value	Parameter	Value		
	General product parameters:					
<u> </u>	mption in on- 00 h), rounded st integer	12	Energy efficiency class	F		
dicating if it refe a sphere (360º)	s flux (фuse), iners to the flux in , in a wide cone arrow cone (90º)	1 200 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	100010000		
On-mode pov pressed in W	ver (P _{on}), ex-	12,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
(P _{net}) for CLS, (tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	60		
Outer dimen-	Height	5	Spectral power dis-	See image		
sions without	Width	10	tribution in the	in last page		
separate con- trol gear, light-	Depth	1 000	range 250 nm to 800 nm, at full-load			

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	80	
		Chromaticity coordi-	0,247	
		nates (x and y)	0,040	
Parameters for LED and OLED light sources:				
R9 colour rendering index value -80 Survival factor 0,90		0,90		
the lumen maintenance factor	0,90			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 09/10/2024.



EPREL registration number: 2165185 https://eprel.ec.europa.eu/qr/21

65185

Supplier: GLOBOSTAR GROUP SINGLE MEMBER P.C. (Impo Website: www.globostar.gr

rter)

Customer care service:

Name: GLOBOSTAR LED LIGHTING AND ACCESSORIES G Website: www.globostar.gr

ROUP

Email: eprel2021@globostar.eu Phone: 00306980878477

Address:

1st Km Old National Road Katerinis-Thessalonikis 1

60100 KATERINI

Greece