Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: GLOBOSTAR® GROUP

Supplier's address: GLOBOSTAR LED LIGHTING AND ACCESSORIES GROUP, 1st Km Old National


Road Katerinis-Thessalonikis 1, 60100 KATERINI KATERINI PIERIAS, EL

Model identifier:	SKU: 70513
--------------------------	------------

Model identifie	Model identifier: SKU: 70513					
Type of light so	urce:					
Lighting techno	logy used:	LED	Non-directional or directional:	NDLS		
Light source cap	o-type	WIRES - TER-				
(or other electric interface)		MINAL BLOCK				
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance	light source:	No				
Anti-glare shield	Anti-glare shield:		Dimmable:	Yes		
Product parameters						
Parameter		Value	Parameter	Value		
		General product p	parameters:			
Energy consur mode (kWh/10 up to the neare	000 h), rounded	24	Energy efficiency class	G		
dicating if it refo a sphere (360º) (120º) or in a na	s flux (φuse), iners to the flux in , in a wide cone errow cone (90°)	2 040 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 200		
On-mode pov pressed in W	ver (P _{on}), ex-	24,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
(P _{net}) for CLS, (tandby power expressed in W the second dec-	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	70		
Outer dimensions without	Height	7	Spectral power dis-	See image		
	Width	1 000	tribution in the	in last page		
separate con- trol gear, light-	Depth	16	range 250 nm to 800 nm, at full-load			

ing control parts and non-lighting control parts, if any (millimetre)					
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-	
			Chromaticity coordi-	0,502	
			nates (x and y)	0,415	
Parameters for LED and OLED light sources:					
R9 colour rendering index value		12	Survival factor	0,95	
the lumen maintenance factor		0,92			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 19/11/2025.



EPREL registration number: 2540252 https://eprel.ec.europa.eu/qr/2540252

Supplier: GLOBOSTAR GROUP SINGLE MEMBER P.C. (Impo Website: www.globostar.gr

rter)

Customer care service:

Name: GLOBOSTAR LED LIGHTING AND ACCESSORIES G Website: www.globostar.gr

ROUP

Email: eprel2021@globostar.eu Phone: 00306980878477

Address:

1st Km Old National Road Katerinis-Thessalonikis 1

60100 KATERINI

Greece